Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((editor or edited or editing or edit) with effect with (mapping or maps map)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:02
L2	4	((editor or edited or editing or edit) with (effect or effects) with (mapping or maps map)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:04
L3	2	2 not 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:02
L4	55	((editor or edited or editing or edit) and (effect or effects) and (mapping or maps map)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:09
L5	25058	((editor or edited or editing or edit) and (effect or effects) and (mapping or maps map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 16:19
L6	577	5 and "386"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:10
L7	54	5 and "386"/52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:10
L8	53	7 not 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:13
L9	0	"kato.in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:16

L10	142562	kato.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:16
L11	692	(Yuichi with kato).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:16
L12	1	(Yuichi with kato).in. and ((edit or editing or editor) and effect)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:18
L13	1	(motoshi with suzuki).in. and ((edit or editing or editor) and effect)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 16:19
L14	716	(editor or edited or editing or edit) with ((effect or effects) with special)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 16:20
L15	19	(editor or edited or editing or edit) with ((effect or effects) with special) with name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 16:20

- Drafts
- Pending
- Active
- Failed
  - "5659793" pn. and (object or objects or asset or assets
  - (pn.to WITH NGUYEN) XP.
  - (pn.to ADJ2 NGUYEN) XP.
- Saved
  - S1: (13) watermark with survival
  - S2: (1779) 382/100.ccls.
  - S3: (6) S1 and S2
  - S4: (16) watermark same survival
  - S5: (2) "5796828".pn.
  - S6: (1) "5796828".pn. and (access with times)
  - S7: (1) "5659793".pn. and "5210"
  - S8: (2) "5659793".pn. and (object or objects or asset or assets)
  - S9: (66) "5659793".uref.
  - S10: (481) 345/629.CCLS. AND EFFECT
  - S11: (994) 345/629.CCLS.
  - S12: (20) 345/629.CCLS. AND (SPECIAL WITH EFFECT)
  - S13: (1) "5987126".PN. AND MPEG
  - S14: (1) "5987126".PN. AND MPEG AND DIF
  - S15: (2) "6799180".PN.
- Favorites
- Tagged (0)
- UDC
- Queue
- Trash

DBs: US-PGPUB, USPAT, EPO, JPO, DERWENT, IBM_TDB

Default operator: OR

(pn.to ADJ2 NGUYEN) XP.

Burst

Highlight all hit terms only

U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Class	Inventor

Ready   CAP NUM